

## SRE-C621D8A-PLG



### Product Highlights:

- Support up to 2 Double Width GPU cards (4 cards supported with different motherboard)
- Convertible to Rack-mount Unit (4U) - OPTIONAL
- Support 1 x Intel® Xeon® Scalable Processor
- High Storage Flexibility with up to 8 disk bays
- I/O Scalability with 6 PCI slots for cards additions
- Redundant Power Supply (OPTIONAL)

<b>Form Factor</b>	560 x 200 x 430 mm (22" x 7.9" x 16.9")
<b>Processor</b>	(1) Intel® Xeon® Scalable Processor
<b>Chipset</b>	Intel® C621 chipset <sup>[SEP]</sup>
<b>Memory</b>	(8) DDR4 2666/2400 LR/RDIMM slots <sup>[SEP]</sup>
<b>Storage</b>	(8) 2.5"/3.5" Hot-plug (Front) HDD bays (1) DVD-RW Drive (optional add-on)
<b>SATA Controller</b>	Intel® C612 : 10 x SATA3 6.0 Gb/s, support RAID 0, 1, 5, 10
<b>Expansion Slots</b>	(2) PCIe 3.0 x16 (3) PCIe 3.0 x8 (1) PCIe 3.0 x4
<b>Network</b>	(4) Marvell 88E1543 RJ45 ports <sup>[SEP]</sup> (1) Realtek RTL8211E 1GbE RJ45 Dedicated port for Management
<b>Integrated Graphics</b>	Aspeed AST2500 16MB DDR3 video memory
<b>Rear I/O</b>	(4) USB 3.0 Ports (1) VGA Port (4) 1GbE RJ45 Ports (1) Serial Port
<b>Front I/O</b>	(2) USB 3.0 Ports
<b>Power Supply</b>	(1) Fixed 600W PSU or (2) Hot-plug 550W/800W/1200W/1600W PSU
<b>Server Management</b>	IPMI v2.0 compliant, on board "KVM over IP" support
<b>Environment</b>	Operating temperature: 10°C ~ 35°C / Non-operating temperature: -40°C ~ 70°C